


01th

IIC-618

DASH-PROOF HAND RAILS



PERFORMANCE

Stylish outlook, various colors.

Comfortable holding.

Features:

High strength with metal structure,
feel warm with vinyl.

Wall protection from the impact,
for the convenience of pedestrians.

56 colors to choose, making perfect
colors space.

Scope: general corridor, stairs etc.



IIC-618
HAND RAILS




Apple green



Post and green



Pink



618A



618B



618D

IIC-618A/B/C/D

Model	Material	Size	Color
618 A/B/C/D	PVC PVC panel + aluminum	5000*140	multiple color

IIC-618

HANDRAIL RAILS WOODEN COLOR SERIES



Flame retardant, anti-bacterial, anti-shock, multiple color

Show the real wood texture
Antique and elegant, decoration first choice

FINE GRAINED HIGH-END FASHION



Finely crafted
but also the essence of wood



IIC-616F

HAND RAIL

complex western
mainstream style
Process elegant shape



Grip panel



The whole elbow



Elbow



Bracket



Thailand Teak



Sapele



Red walnut


The above color is for reference only, specific color please in kind prevail.

www.indiana.co.in

e-mail : sales@indiana.co.in

IIC-616F

DASH-PROOF HAND RAILS



- Features:**
- A: High strength with metal structure, feel warm with vinyl.
 - B: Appearance is separated, with both inside and outside corners.
 - C: Upper edge is pipe shape, easy for holding and walking.
 - D: Lower edge is arch shape, absorb impact force, protect wall surface.

IIC-616F

Model	Material	Size	Color
616F	PVC PVC panel + aluminum	5000*143	multiple color



IIC-616F

DASH-PROOF HAND RAILS



Peak art
Two kinds of process
Make a visual impact

IIC-616B

HAND RAIL



Combination of thick and elegant solid wood texture with new materials



616B-1



616B-2



616B-3




Features:

- A: High strength with metal structure, feel warm with vinyl.
- B: Appearance is integrated, with both inside and outside corners.
- C: Upper edge is pipe shape, easy for holding and walking.
- D: Lower edge is arch shape, absorb impact force, protect wall surface.

IIC-616B

Model	Material	Size	Color
IIC-616-1 IIC-616-2 IIC-616-3	PVC PVC panel + aluminum	5000*159	multiple color





1
3

IIC-609

HAND RAIL

Water droplets fluid sculpture
special design



Care4




Features:

With the fashion design of water drop, the handrails are for its integrating climbing up, decoration and vogue into a single unit.

Widely used in fashion places, let you feel warmth and comfort.

IIC-609

Model	Material	Size	Color
IIC-609	PVC PVC panel + aluminum	5000*90	multiple color



1
4




IIC-638
HAND RAIL




Rural wood color
Light of luxury and elegant

IIC-638

Model	Material	Size	Color
IIC-638A	PVC PVC panel + aluminum	5000*38	multiple color
IIC-638C	PVC PVC panel + aluminum	5000*38	multiple color



38 the golden ratio
Grip feels stronge
old and young all appropriate



IIC-628F

DASH-PROOF HAND RAIL




Top technology
for glory



IIC-628F

Model	Material	Size	Color
IIC-628F	PVC PVC panel + aluminum + conjoined stainless steel stents	5000*200	multiple color
IIC-628F-1	PVC PVC panel + aluminium /stainless steel connecting rod + nylon bracket	5000*200	multiple color



PROJECTS PHOTOS

It's widely used in office buildings, hospitals, schools, kindergartens, nursing homes, protecting the wall from impact.

IIC-639C

DASH-PROOF HAND RAIL



Wide-body modelling
Good grip




Features:

The inner Al-alloy structure has best intensity, the Vinyl resin material surface is colorful, warm, and beautiful shaped. The tubular shape is according with the human engineering, it is easy to hold. Used in the common corridor, stairs as the railings etc.

IIC-639C

Model	Material	Size	Color
IIC-609C	PVC PVC panel + aluminum +Stainless steel stents	5000*140	multiple color




IIC-615



WALL GUARD

Features:



Vinyl cover with wear resistance and anti-bacterial ability, aluminum retainer for strong impact-resistance ability, high flame retardant performance, high anti-corrosion resistance, easy for cleaning, offering the best protection to wall.





IIC-615A




IIC-615B



IIC-615C





IIC-615C-1




WALL GUARD SERIES




IIC-610A





IIC-620B




23



IIC-610C




IIC-6125B




24



IIC-612B



IIC-605H



CORNER GUARD SERIES



IIC-605B





IIC-605D





IIC-607B-1





IIC-607B-2















IIC-635B



style	width	cross section	corner angle	dimensions	application
IIC-603A	30mm		90°	3m 3m/piece	To protect the corner, door frames
IIC-605A	50mm		90°	3m 3m/piece	To protect the corner, door frames
IIC-607A	70mm		90°	3m 3m/piece	To protect the corner, door frames
IIC-625A	25mm		90°	3m 3m/piece	To protect the corner, door frames
IIC-640-40A	39*42*39mm		90°	3m 3m/piece	To protect the corner, door frames
IIC-640-50A	40*50mm		90°	3m 3m/piece	To protect the corner, door frames
IIC-618-8A	18*8mm		90°	3m 3m/piece	To protect the corner, door frames







NEW TYPE CORNER GUARD

New type corner guard traits:
Vinyl material, impact resist can protect the wall door frame and desk corner efficiently, it can reduce the decoration cost. The surface grain looks more elegant and high grade.

style	width	cross section	corner angle	dimensions	application
 IIC-603C	30mm		90°	3m/支 3m/piece	To protect the corner, door frames
 IIC-604C	40mm		90°	3m/支 3m/piece	To protect the corner, door frames
 IIC-606C	60mm		90°	3m/支 3m/piece	To protect the corner, door frames
 IIC-607B-2	70mm		90°	3m/支 3m/piece	To protect the corner, door frames
 IIC-608B	35mm		90°	3m/支 3m/piece	To protect the corner, door frames

FASHION SOFT CORNER PROTECTOR

Complete color scheme, double-color coextrusion; soft Vinyl resin material materials, environment friendly and installing with the glue. Suitable for schools, kindergartens, hotels, supermarkets, gymnasiums and homes, protecting the corner efficiently, and also preventing the children from hitting.

style	width	cross section	corner angle	dimensions	application
 IIC-635A	35mm		90°	3m 3m/piece	To protect the corner, door frames
 IIC-640A	40mm		90°	3m 3m/piece	To protect the corner, door frames
 IIC-650A	70mm		90°	3m 3m/piece	To protect the corner, door frames



02th


BATHROOM GRAB BAR SERIES

Features:
Anti-bacterial, environment friendly.
Salient points design makes it anti-skidding, more secure and comfortable for gripping.
Self-extinguising material, high melting point, no combustion supporting.
Advantages: anti-static, dust proof, easy cleaning, wear resisting, water proof, resistance to acid and base etc.
Simple installation, flexible combination, suitable for different installation conditions.



Suitable for: hospitals, nursing homes and high-grade office buildings, home and old toilet etc.

CORRIDOR GRAB BAR SERIES



IIC-037A
Corridor Grab Bar




IIC-038A
Corridor Grab Bar



Inner Tube Material	Aluminium Tube	Galvanized Steel Tube	201 Stainless Steel Tube	304 Stainless Steel Tube
Dimension	1.4 1.7	1.6	1.2/1.5	1.2/1.5/2.0
Outer Diameter	35	35	35	35
Metal Tube Diameter	25	25	25	25



Stylish outlook, various, more humanized structure design, the holding place and structure is designed to be used to the hand by maximum limit.



Novel and attractive, no chemical volatiles, accord with environmental standards, high surface finish, high color saturation, anti-aging and corrosion resistance, strong antimicrobial properties, long service life, etc.

BATH CHAIR SERIES



PERFORMANCE

130kg~200kg

Safe and comfortable, easy to fold, does not occupy space

Smooth and delicate texture, easy to clean

Safety load 130kg~200kg


Easy installation

Applied to: bathroom, dressing room, corridors, lounge


SHOWER CHAIR SERIES




IIC-01A




IIC-02A




IIC-01B




IIC-02B




IIC-01C




IIC-03A




SHOWER CHAIR SERIES



IIC-03B



IIC-03C



IIC-04A



500x360x650mm

IIC-04B



H:380-550 Φ : 480mm

IIC-05A



500x350x450mm

IIC-05B



840x490x480mm

IIC-05C

FOLDING UP GRAB BAR SERIES




PERFORMANCE

- Easy storage, saves space
- Excellent structure designed
- Easy installation
- Escort for your family

Applied to: bathroom, dressing room, corridors, lounge




IIC-018A



Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow




IIC-018



Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: Wood grain color




IIC-018B



Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



IIC-018B-1



Material: Nylon and metal composite
Configuration: stainless steel flanged fittings
Colour: white, yellow

BATHROOM GRAB BAR SERIES



PERFORMANCE


Convenient and comfortable, does not occupy space
 Diameter perfect for gripping
 Double tube bearing, safe and reliable

Applies to: bathroom, dressing room, corridors, lounge

IIC-025A
 L type Grab Bar




026A-1 135°



Material: Nylon and metal composite
 Configuration: ordinary fittings
 Colour: white, yellow




026A



Material: Nylon and metal composite
 Configuration: ordinary fittings
 Colour: white, yellow




027A



Material: Nylon and metal composite
 Configuration: ordinary fittings
 Colour: white, yellow

TOILET GRAB BAR SERIES




PERFORMANCE

Anti-aging, wear-resistant, fire resistant
 High quality material, safe and secure
 Provide security for you and your family

Applied to: bathroom, dressing room, corridors, lounge




IIC-028A



Material: Nylon and metal composite
 Configuration: ordinary fittings
 Colour: white, yellow




IIC-030A



Material: Nylon and metal composite
 Configuration: ordinary fittings
 Colour: white, yellow



IIC-030A-1



Material: Nylon and metal composite
 Configuration: ordinary fittings
 Colour: white, yellow



Electroplating products series



The classic series of pure color



Antique wood grain series

BATH CROCK ARMREST SERIES



PERFORMANCE


Appearance of simple fashion
Anti-bacterial non-slip, high safety
Lightweight body, humanized design

Suitable for: the bathroom shower, dressing room, corridor in shoes, nap

COMBINATION HANDRAIL SERIES




IIC-036A



Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



IIC-029A



Material: Nylon and metal composite
Configuration: ordinary fittings
Colour: white, yellow



PERFORMANCE

130kg

- Safe and comfortable, does not occupy a space
- Land smooth delicate, easy to clean
- Safe bearing 130 kg
- Easy installation



IIC-037G



IIC-026G

03th

MEDICAL AUXILIARY SERIES

Features:

Adjustable, patients and nurses can adjust the height easily
With aluminum rail and roller, the IV hanger can move more smoothly.

Medical curtain is safe, durable, and beautiful.



INFUSION DERRICK SERIES



The national patent




PERFORMANCE

- Derrick with threaded connection
- Occlusion strength is stronger
- Electrophoresis sand blasting process
- Stronger corrosion resistance

Does stainless steel boom length selection methods: room clear height (has been renovated) to 1.7 meters.



IIC-03
Aluminum Adjustable IV Hanger



- High quality stainless steel boom
- Fine workmanship
- With makings fastidious

IIC-02
Stainless Steel Adjustable IV Hanger



- The hot style
- Food grade 304 stainless steel material
- Mechanical stretch locking

IIC-08
Stainless Steel Adjustable IV Hanger



ORBIT SERIES



PERFORMANCE



Unique design Ventilation mizar
Apply widely security firm

IIC-45
European-style luxury rail


Rail: with the Al-alloy materials, specialized designed, hard distorted, easy to pull and back, more safe and stable. The connectors between the rails are appropriative ABS connectors, which make the whole rails to be seamless, and increased the inflexibility of the rail.

If the net height of the room is too large, the stainless steel impending frame should be installed.


Pulley: Compact and reasonable structure, decreasing the radius of the round, decreasing the length of the curtain in the contraction; sliding smoothly, S-shaped pothook, easy to dismantle and install; rope blocks are made of nano materials, with the special processing technic, the products are really to be mute, free from dirty and wear resistant.


Bend arc of the rail: use the automating rail bender importing from H.K., the bent forming once through, and the groove of the rail is not out of shape, ensure the pulley slid smoothly.

Pulley: 6-9 per meter, and every 600mm on the rail with a fixed point.



Increasing orbital






IIC-30
transfusion track




Infusion pulley



IIC-20
Every curtain rail




Roller




MEDICAL PARTITION CURTAIN SERIES


Plain coloured series




IIC-CS-01



IIC-CS-02




IIC-CS-03



IIC-CS-04




IIC-CS-05



IIC-CS-06



IIC-CS-07



IIC-CS-08




IIC-CS-09



IIC-CS-10



IIC-CS-11




IIC-CS-17



IIC-CS-21



IIC-CS-22



IIC-CS-23

Curtain case



Cartoon, rural series




IIC-CS-19



IIC-CS-18

IIC-CS-20

Stripe series



IIC-CS-12

IIC-CS-13

IIC-CS-14


IIC-CS-15

IIC-CS-06

Curtain case



Bed curtain design measurement scheme



Single ward (U)

Double ward (L left)

Three person ward (L right)

Features:

1.Safety: This product is a permanent flame retardant every cord standard, products through GB86241997, GB/T54551997 verify, in line with the flammability of building materials classification method of high-grade 6.2.1 Class B1, oxygen index 32%, with an average performance of burning time 5 seconds, the average damaged length 150mm.

2.Durable: radial 46.8kgf/5cm; zonal 127 kgf/5cm (CNS12915 method), superior tensile strength; 20.5kgf/cm (CNS12915 method), the super anti-rupture capacity; every cord washed shrinkage: radial 0; zonal 0 (CNS80838A France), washed, no deformation; every cord washing color fastness: variable fade 45; pollution 4 (CNS1494A2 method), washed, separated from the cord mesh does not break off, do not fade, stain resistance.

3.Beauty: the hospital ward, injection rooms, examination rooms, utility compartment cord, hospital interior feeling neat and nice. both dust and antibacterial function.

4.Privacy: with other ward bedspace such as dressing, injection, medical, or visitors for the protection of privacy and to avoid noisy, you can pull every cord.

5.Simple: special track, simple construction, special pulleys and hooks, quick disassembly, cleaning, and convenient.


04th

FLOOR SERIES


BLIND ROAD SERIES




IIC-BR-01




IIC-BR-02





IIC-BR-03




IIC-BR-04



IIC-BF-01 strip



IIC-BF-00 dot



IIC-BS-01
Plastic blind strips



Features:
Nice visual effects,
order-free, environment friendly,
easy to install.






Most of the products in the domestic railways, airports, disabled persons' federation, municipal and other major barrier-free project selection.




Mainly sold to the United States, Japan, Australia, South Korea and other places.




THE STAIRS ANTI-SKID ARTICLE SERIES





IIC-AS-42Y
Aluminum alloy buckle





Aluminum alloy flat deduction for the excessive variety of flooring, beautiful appearance, durable. Double-layer structure, surface PVC tape, the bottom of the aluminum alloy, wear resistance, aging resistance, environmental protection, non-toxic.





IIC-AS-30A
Aluminum alloy buckle



IIC-AS-42Y
Aluminum alloy flat




IIC-AS-40A
Aluminium alloy the slider






PVC




PVC BEAD, EDGE ARTICLE






IIC-AS-45A
Aluminium alloy the slider





IIC-PVC-35





IIC-AS-50A
Aluminium alloy the slider






IIC-PVC-28B





IIC-AS-65A
Aluminium alloy the slider





IIC-PVC-25B










IIC-AS-65A
Aluminium alloy the slider










IIC-PVC-25B
anti-slip strip















ALUMINUM ALLOY PLAY CRURAL LINE SERIES





style	heigh	cross section	aluminum thickness	color treatment
IIC-TJ-50A	50mm		0.5mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-60A	60mm		1.5mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-80A	80mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-80C	80mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-100A	100mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-80B-1	80mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-80C-1	80mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color


style	heigh	cross section	aluminum thickness	color treatment
IIC-100A-1	100mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-100B-1	100mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-80A	120mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-80C	115mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color
IIC-TJ-100A	120mm		1mm	brushed silver/electrophoresis silvery white/ champagne/wooden color



ON THE WALL LINING BOARD

style	heigh	cross section	aluminum thickness	color treatment
 IIC-TJC-90B-2	95.5mm		2mm	PVC
 IIC-TJC-100B-2	101mm		1mm	al alloy
 IIC-TJC-100A-2	101mm		1mm	al alloy
 IIC-TJC-100A	100mm		1mm	al alloy
 IIC-TJC-120A-2	121mm		1mm	al alloy
 IIC-TJC-120B-2	121mm		1mm	al alloy

style	heigh	cross section	aluminum thickness	color treatment
 IIC-JK-09 & IIC-JK-10	122mm		1mm	al alloy
 IIC-JK-09 & IIC-JK-10	148.5mm		1mm	al alloy



The lining board is made of aluminum, it is more beautiful and durable;there are grooves to be used to install screw, with vinyl floor in it, the visual effect is more concise and easy;it is anti-skidding and no smell, it can be used in hospitals, old people's homes,kindergartens etc.




punch



Screw fixation plate



In plastic floor



complete



IIC-01-010 IIC-01-051 IIC-01-052 IIC-01-022 IIC-01-108 IIC-01-107



IIC-08-019 IIC-08-021 IIC-08-018 IIC-06-019 IIC-01-020 IIC-01-038



IIC-06-105 IIC-03-005 IIC-03-146 IIC-03-006 IIC-03-007 IIC-03-041



IIC-06-042 IIC-06-012 IIC-06-016 IIC-01-139 IIC-06-011 IIC-03-008



IIC-W-001



IIC-W-002



IIC-W-003



IIC-W-004



IIC-04-206 IIC-04-027 IIC-04-037 IIC-06-050 IIC-06-016 IIC-06-017



IIC-05-002 IIC-05-003 IIC-05-004 IIC-02-035 IIC-06-010 IIC-04-038



IIC-05-091 IIC-05-056 IIC-05-057 IIC-05-033 IIC-02-040 IIC-02-069



IIC-02-012 IIC-02-013 IIC-02-014 IIC-02-088 IIC-02-004 IIC-02-005



IIC-02-002 IIC-02-003 IIC-02-004 IIC-02-007 IIC-02-024 IIC-02-008

Picture color is for reference only, please refer to product color card.



indiana international corporation flooring pvt. ltd.
4/1, Spencer Road, Frazer Town, Bangalore - 560 005.
Ph : +91 80 4125 1768, 4125 1824
e-mail : sales@indiana.co.in
www.indiana.co.in

Branches : AHMEDABAD | CHANDIGARH | CHENNAI | COONOR | DELHI | HYDERABAD | INDORE | JAIPUR
J&K | KERALA | KOLKATA | MUMBAI | PUNE



- ▶ WALL PROTECTION
- ▶ HAND RAILS
- ▶ FLOORING ACCESSORIES